

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 8 1982
Returned to applicant for correction _____
Corrected application filed _____
Map filed July 5, 1962 under 20407

The applicant Dorothy D. Read
491 5th Street, of Elko,
Street and No. or P.O. Box No. City or Town
Nevada 89801, hereby make S application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.5 cfs second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Commercial and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated: _____
(b) Stockwater, state number and kinds of animals to be watered: _____
(c) Other use (describe fully under "No. 12. Remarks") _____
(d) Power:
(1) Horsepower developed _____
(2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point: NW¼ NE¼ of Section 28, T 34 N,
Describe as being within a 40-acre subdivision of public
R 55 E, MDM, at a point from which the N¼ corner of said Section 28 bears
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
N 55° 09' W 106.1 feet
6. Place of use portions of the NW¼ NW¼ NE¼ and NE¼ NE¼ NW¼, Section 28, T 34 N,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
R 55 E, MDM
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) existing drilled and cased well equipped
State manner in which water is to be diverted, i.e. diversion structure, ditches and
with submersible pump and pipelines to place of use
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works none - existing

10. Estimated time required to construct works..... none - existing
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 3 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application is for water use over and above that granted under

Permit 20407. These waters will be utilized for the cleaning of dog

kennels and watering of lawned areas used for exercise areas. Estimated annual consumption: 1.3 MGA. Use map under 20407 to support this Application. Please send copies of all correspondence and notices to undersigned agent.

By s/William A. Nisbet

Agent

421 Court

Elko, Nevada 89801

Compared js/sg pr/bl

Protested 5/4/82 by City of Elko: Protest Overruled 5/08/84, See Ruling #2957

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued subject to the State Engineer ruling (#2597) dated May 8, 1984.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second but not to exceed 1.3 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 2, 1986

Proof of completion of work shall be filed before September 2, 1986

Application of water to beneficial use shall be made on or before August 2, 1989

Proof of the application of water to beneficial use shall be filed on or before September 2, 1989

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed AUG 28 1986 IN TESTIMONY WHEREOF, I, PETER G. MORROS,

State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed

my office, this 2nd day of August

Cultural map filed

A.D. 1984

Certificate No. Issued



218 (Rev.)

Peter G. Morros
 State Engineer

CANCELLED MAY - 4 1994
 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Richard J. Thompson
 STATE ENGINEER